

SaniDate® WTO Mexico

Form #:	SDS-108
Revision Date:	15/07/2019
Revision #:	01
Supersedes Date:	NA

	Section 1: Identification				
Product Name:	SaniDate® WTO Mexico	Product Type / Description:	Bactericide / Fungicide / Algaecide		
Recommended	ed Bactericide / Fungicide / Algaecide for commercial				
Use:	use.	Other Means of	Peracetic Acid, Peroxyacetic Acid, PAA		
Use Restrictions:	It is a violation of the law to use this product in a manner inconsistent with its labeling.	Identification:	Peracetic Acid, Peroxyacetic Acid, PAA		
N. Company for a decision of the company of the com	BioSafe Systems, LLC	COFEPRIS	NIA		
Manufacturer:	22 Meadow Street East Hartford, CT 06108	Registration #:	NA		
Telephone Number:	1-888-273-3088	Emergency Number: 1-800-424-9300 (CHEMTREC)			

Section 2: Hazard Identification			
GHS Classification		Hazard Statements	
Organic Peroxide: Type F H242: Heating may cause fire.		ire.	
Corrosive to Metals: Category 1 H290: May be corrosive to metals.		metals.	
Acute Toxicity H302: Harmful if swallowed.		d.	
Oral: Category 4 H314: Causes severe skin burns and eye damage.		urns and eye damage.	
Dermal: Category 4	H332: Harmful if inhaled.		
Inhalation: Category 4 H335: May cause respir		ry irritation.	
Skin Corrosion/Irritation: Category 1A			
Serious Eye Damage/Eye Irritation: Category 1			
Pictograms		Signal Word	







DANGER

Precautionary Statements		
General	Response	
P101: If medical advice is needed, have product container or label at	P301+P330+P331: IF SWALLOWED: Rinse mouth. Do not induce vomiting.	
hand.	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all	
P102: Keep out of reach of children.	contaminated clothing. Rinse skin with water/shower.	
P103: Read label before use.	P304+P340: IF INHALED: Move person to fresh air and keep comfortable for breathing.	
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several	
	minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P310: Immediately call a POISON CENTER/doctor.	
	P321: For specific treatments see FIRST AID section on SDS or label.	
	P363: Wash contaminated clothing before reuse.	
	P370+P378: In case of fire: Use water or other suitable extinguishing media.	
	P390: Absorb spillage to prevent material damage.	
Prevention	Storage / Disposal	
P210: Keep away from heat, sparks or open flames, no smoking.	P405: Store locked up.	
P220: Store away from combustible materials.	P406: Store in corrosive resistant container, never use metal containers.	
P221: Take any precautions to avoid mixing with combustibles.	P410: Protect from sunlight.	
P234: Keep only in original container.	P411: Store at temperatures not exceeding 55°C (131°F).	
P260: Do not breathe fumes, mist or vapors.	P420: Store away from incompatible materials.	
P262: Do not get in eyes, on skin or on clothing.		
P264: Wash thoroughly after handling.	P501: Dispose of contents/container in accordance with	
P270: Do not eat, drink, or smoke when using this product.	local/regional/national/international regulations.	
P271: Use only outdoors or in a well-ventilated area.		
P280: Wear protective gloves, clothing, eye protection, face protection.		

Section 3: Composition / Information on Ingredients			
Components CAS-No % Composition (w/w)			
Hydrogen Peroxide	7722-84-1	16,0 – 26,0%	
Peroxyacetic Acid	79-21-0	4,2 – 6,0%	
Acetic Acid	64-19-7	8,0 - 12,0%	



SaniDate® WTO Mexico

Form #:	SDS-108
Revision Date:	15/07/2019
Revision #:	01
Supersedes Date:	NA

Section 4: First-Aid Measures		
Eye	In case of eye contact, remove contact lenses and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.	
Contact:	See a medical doctor immediately.	
Skin	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Seek immediate medical	
Contact:	attention/advice.	
Ingestion:	Rinse mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. If swallowed, do not	
	induce vomiting - seek medical advice.	
Inhalation:	Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Consult a	
	physician if necessary.	
Notes to	This product can be corrosive to skin, eyes, and mucous membranes. Careful gastric lavage should be considered. Observations may be	
Physician:	warranted. Treatment is controlled removal of exposure followed by supportive care.	

Section 5: Fire-Fighting Measures			
Suitable Extinguishing Media: Water spray.		Water spray.	
Unsuitable Extinguishing Media: Carbon dioxide, alcohol foam, dry chemical. Heavy water stream can spread fire.		Carbon dioxide, alcohol foam, dry chemical. Heavy water stream can spread fire.	
Combustion Products: Corrosive vapors, acetic acid, carbon oxides.			
Unusual Fire and Explosion Product is not flammable but during a fire, product can decompose and generate oxygen which can initiate or		Product is not flammable but during a fire, product can decompose and generate oxygen which can initiate or	
Hazards: promote combustion.		promote combustion.	
Protective	otective Full chemical protection suits and boots (rubber or PVC) and self-contained breathing apparatus. Cordon the area to keep out all		
Equipment for	nent for unnecessary personnel. Keep upwind. Use large quantities of water spray to fight fire. Cool containers / tanks with water spray. If		
Firefighters:	safe to do, move product away from fire to secure area. Eliminate all possible sources of ignition and remove flammable material.		

Section 6: Accidental Release Measures		
Personal Precautions: Ensure adequate ventilation. Avoid inhalation, ingestion and contact with skin and eyes.		Ensure adequate ventilation. Avoid inhalation, ingestion and contact with skin and eyes.
Emergency Proced	dures:	Ensure clean-up is conducted by trained personnel. Personnel should wear appropriate protective equipment. Remove
all sources of ignition. Keep peop		all sources of ignition. Keep people away from and upwind of spill/leak. If facing concentrations above exposure limits
personnel shall wear certified respirators.		personnel shall wear certified respirators.
Environmental Precautions: Prevent undiluted spillage from entering sewers, basements or watercourses.		Prevent undiluted spillage from entering sewers, basements or watercourses.
Methods and	Dike to collect large liquid spills. Contain spills with earth or sand or inert absorbent. Stop leak and contain spill if this can be	
Material for	Material for done safely. Dilute with large quantities of water. If safe to do so, move product to secure area. Control runoff and isolate	
Containment and	Itainment and discharged material for proper disposal. Do not seal waste material, do not use textiles, tissues, saw dust or combustible	
Clean-Up:	Clean-Up: materials to clean the spill. Do not return product to the original storage container/tank due to risk of decomposition.	

Section 7: Handling and Storage			
Handling:	Vear protective gloves/eye protection/face protection/body, skin protection. Do not eat, drink, or smoke when using this product. Wash		
	thoroughly after handling. Avoid breathing fumes/mist/vapors. Use only outdoors or in a well-ventilated area.		
Storage:	Storage: Store in cool, ventilated area. Keep away from heat. Keep only in original container. Protect from sunlight. Store at temperatures not		
exceeding 30°C (86°F) for product quality. Do not store near combustible materials.			
Incompatible Materials: Oxidizing agents, strong reducing agents, combustible materials, heavy metals.			

Section 8: Exposure Controls / Personal Protection			
Components with Workplace Control Parameters			
Component	LMPE-PPT	LMPE-CT or Peak	
Acetic Acid	10 ppm	15 ppm	
	25 mg/m ³	37 mg/m ³	
Hydrogen Peroxide	1 ppm	2 ppm	
	1,5 mg/m ³	3 mg/m ³	
Engineering Controls:	Ensure adequate ventilation. Emergency eye wash stations should be available in the immediate vicinity of any		
	potential exposure.		
General Hygienic Practices:	Do not eat, drink or smoke during use.		
Personal Protective Equipment:	Protective clothing, protective goggles, gloves, face shield.		
Respiratory Protection:	Use air-purifying or supplied air respirator where airborne concentrations of vapor or mist are expected to exceed		
	exposure limits.		
Eye / Face Protection:	Chemical goggles or face shield.		
Hands:	Chemical resistant gloves.		
Skin / Body:	Wear suitable protective clothing.		



SaniDate® WTO Mexico

Form #:	SDS-108
Revision Date:	15/07/2019
Revision #:	01
Supersedes Date:	NA

Section 9: Physical and Chemical Properties							
Appearance:	Clear, colorless liquid.	Odor:	Pungent, vinegar-like.	Odor Threshold:	NA		
pH:	<1,5	Specific Gravity:	1,10 - 1,12 g/cm ³	Viscosity:	NA		
Melting Point:	NA	Freezing Point:	-30°C (-22°F)	Boiling Point:	NA		
Flash Point:	NA	Flammability:	NA	Flammability Limits:	NA		
Vapor Pressure:	22 mm Hg (25°C)	Vapor Density:	NA	Solubility:	Complete.		
Evaporation Rate:	NA	Auto-Ignition Temperature:	NA	Decomposition Temperature:	Self-accelerating decomposition temperature > 55°C		
Relative Density:	NA	Partition Coeffic	ient n-octanol / water: NA	1			

Section 10: Stability and Reactivity				
Reactivity: Reactive and oxidizing agent, organic peroxide.				
Stability: Stable under normal conditions of storage.				
Conditions to Avoid: Open flames/heat sources, temperatures above 55°C (131°F), direct sunlight, combustible materials.				
Incompatible Materials: Acids, bases, reducing agents, organic materials, heavy metals, salts of metals.				
Hazardous Decomposition Products:	Thermal decomposition generates corrosive vapors, acetic acid and oxygen which supports combustion.			

Section 11: Toxicological Information								
Acute Toxicological Data								
Oral LD50: 1026 – 1780 mg/kg (rat) Dermal LD50: 1957 mg/kg (rabb				it)	Inhalation LC50:	4 hours – 4080 mg/m³ (rat)		
	Symptoms and Effects							
Condition	Condition Acute Effects			Chronic (Delayed) Effects				
Eye Con	tact:	Causes serious eye damage.			None.			
Skin Con	Skin Contact: Causes severe skin burns.			None.				
Inhala	Inhalation: May cause respiratory tract irritation.			None.				
Ingestion: Harmful if swallowed.				None.				

Section 12: Ecological Information							
	Duration		Species	Value			
	96 hr LC50)	Salmo gairdneri	13 mg/L (NOEC <10 mg/L)			
Ecotovicity	96 hr LC50)	Pleuronectes platessa	89,1 mg/L (NOEC 56 mg/L) (12% solution)			
Ecotoxicity:	48 hr EC50		Daphnia magna	3,3 mg/L (NOEC 1 mg/L)			
	96 hr EC50		Crangon crangon	126,8 mg/L (NOEC 56 mg/L) (12% solution)			
	5 min EC10		Pseudomonas aeruginosa	5 mg/L			
Persistence an	Persistence and Degradability:		Weak persistence of degradation products.				
Bioaccumu	Bioaccumulative Potential:		Does not bioaccumulate.				
Mobility in Soil:		Non-significant adsorption soil degradation, >99% in 20 minutes.					
Results of PBT & vPvB:		This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).					
Other	Adverse Effects:	None k	None known.				

Section 13: Disposal Considerations					
Waste from Residues and Unused Product: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and					
international regulations.					
Contaminated Container Disposal: Do not reuse or refill this container. Triple rinse empty containers with clean water. Clean and empty					
containers are to be recycled or placed in the trash.					

	Section 14: Transport Information									
UN Number UN Proper Shipping Name			Hazard Class (Subsidiary)	Packing Group	IATA	Marine Pollutant				
DOT	3109	Organic peroxide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2 (8)	NA	Not permitted					
TDG	3109	Organic peroxide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2 (8)	NA	for shipment					
IMDG	3109	Organic peroxide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2 (8)		by air.	No				

Special Precautions: Shipping container: UN certified vented polyethylene

Shipping Placards:





SaniDate® WTO Mexico

Form #:	SDS-108		
Revision Date:	15/07/2019		
Revision #:	01		
Supersedes Date:	NA		

Transport in bulk according to Annex II of MARPOL 73/78

Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 21HZ1 and 31HZ1).

Section 15: Regulatory Information								
Report Q	In the case of the following substances in liquid state: Hydrogen peroxide							
Grade:			Moderate risk, Grade 2					
NFPA Rating:	NFPA Rating: Health: 3		Flammability:	1	Reactivity:	1	Special:	OX (Oxidizer)
HMIS Rating:	HMIS Rating: Health: 3		Flammability:	1	Physical:	1	PPE:	Recommended.
PPE:								

Section 16: Other Information

The information is considered correct but is not exhaustive and will be used only as guidance, which is based on the current knowledge of the chemical or mixture and is applicable to the appropriate safety precautions for the product.

For additional information, call us toll-free at 1.888.273.3088 or visit $\underline{www.biosafesystems.com}$ © 2019 BioSafe Systems, LLC.

Bi Safe Systems